

WHO'S
WORRIED
ABOUT
A LITTLE
WATER?



MIRATEC[®]
Treated Exterior Composite TRIM

HAVE NO FEAR.



WHY RESIST?

Alternatives like PVC and fiber cement trim can't match MiraTEC's all around performance and versatility, and they cost up to twice as much. Plus MiraTEC is backed by an industry-best 30-year warranty, the most comprehensive in the trim category. That's what makes MiraTEC the natural choice for everything from porch and window trim to columns and gables.

With MiraTEC® trim, you have nothing to fear from moisture. Or rot. Or termites. That's because MiraTEC is uniquely designed to combine the beauty and workability of wood with the long-term performance and durability of engineered trim.


MiraTEC Advantages.

Over PVC Trim:

- MiraTEC has a more authentic cedar texture
- MiraTEC accepts all shades of paint beautifully
- MiraTEC is not prone to thermal expansion
- MiraTEC is environmentally friendly
- MiraTEC costs about half as much as PVC

Over Most Fiber Cement Trim:

- MiraTEC has a more authentic wood texture
- MiraTEC is reversible
- MiraTEC is five times more resistant to water absorption*



- MiraTEC is not brittle or difficult to stack
- MiraTEC handles like wood so it's easier to cut and nail and does not require special tools
- MiraTEC is available in widths up to 16" and lengths of 16'
- MiraTEC is backed by a 30-year warranty. Most fiber cement is backed by a 10-year warranty
- MiraTEC costs a third less

*Based on an ASTM 24-hour soak test.
**Note: 2" primed on 3 sides.

Patented technology. Revolutionary performance.

- Industry-best 30-year warranty
- Moisture, rot and termite resistant; treated with zinc borate
- Won't check, split or crack
- One solid piece, not laminated
- More uniformly dense across its thickness; cuts consistently
- Wood-grain texture on one side, smooth on the other
- Easy to handle, machine, cut and nail
- Factory-primed** on four sides with a mildew-resistant primer
- MiraTEC trim has a Class C Fire Rating (flame spread 120, smoke developed 90)
- 4/4 and 5/4, 16' lengths
- Widths of 2", 3", 4", 5", 6", 8", 10", 12" and 16"





READY TO WORK.

MiraTEC looks just like wood and performs even better. Its uniform density makes it easy to machine, cut and nail without chipping or splitting. It's free of voids and knots, so there's no waste. It's factory-primed and ready to paint. And best of all, MiraTEC is versatile, giving you the option of working with one of two reversible sides: wood-grain texture or smooth.

SUPER. NATURAL.

MiraTEC's patented TEC™ manufacturing process treats natural wood fibers with zinc borate and binds them with phenolic resins. The result is a next-generation wood composite trim so resistant to moisture, rot and termites, it's backed by an industry-best 30-year warranty.



Choose either the textured or smooth side for maximum versatility.

Splashy performance in every test.

- **Moisture resistant:** As measured by ASTM D1037 for water absorption and thickness swelling
- **Rot resistant:** Tested per AWPA E16 Field Test for Evaluation of Wood Preservatives to Be Used out of Ground Contact: Horizontal Lap-Joint Method
- **Termite resistant:** Tested per AWPA E7 Standard Method of Evaluating Wood Preservatives by Field Tests with Stakes



4/4 Nominal Thickness (3/4" Actual)

Size		16' Pieces		
NOMINAL	ACTUAL	BUNDLE	UNIT	
2" x 192"	1 5/8"	16	+	560
3" x 192"	2 3/4"	8	+	320
4" x 192"	3 1/2"	8	+	240
5" x 192"	4 1/2"	8	+	200
6" x 192"	5 1/2"	4	+	160
8" x 192"	7 1/4"	4	+	120
10" x 192"	9 1/4"	4	+	100
12" x 192"	11 1/4"	4	+	80
16" x 192"	15 1/2"	2	+	60

5/4 Nominal Thickness (1" Actual)

Size		16' Pieces		
NOMINAL	ACTUAL	BUNDLE	UNIT	
2" x 192"	1 5/8"	12	+	420
3" x 192"	2 3/4"	6	+	240
4" x 192"	3 1/2"	6	+	180
5" x 192"	4 1/2"	6	+	150
6" x 192"	5 1/2"	3	+	120
8" x 192"	7 1/4"	3	+	90
10" x 192"	9 1/4"	3	+	75
12" x 192"	11 1/4"	3	+	60
16" x 192"	15 1/2"	2	+	42

**Make the jump to MiraTEC.
The water's fine.**

Call 1.800.255.0785

for FREE product samples.

Visit www.miratectrim.com

for warranty and application instructions.

MIRATEC[®]

Treated Exterior Composite TRIM

1.800.255.0785

www.miratectrim.com

102 05/07

Covered by one or more of the following patents: 5,677,369; 4,726,881; 5,980,798; 6,030,562; 5,993,709.

©2007 **CMi**